

STATE PROFILES

Maine



Deaths reported to DAWN

Drug misuse 129
Suicide 27

Metro area population, 2004

1,317,253

Population covered by DAWN

1,317,253

Percent of population covered by DAWN

100%


State overview: Deaths and population by county, 2004

Counties	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (16)	129	97.9	27	20.5	1,317,253
1. Androscoggin County	8	74.8	1	9.3	107,022
2. Aroostook County	2	27.3	1	13.6	73,390
3. Cumberland County [†]	31	113.3	4	14.6	273,505
4. Franklin County	2	67.3	0	0.0	29,736
5. Hancock County	6	112.0	1	18.7	53,556
6. Kennebec County	25	207.2	4	33.2	120,645
7. Knox County	7	170.7	4	97.5	41,008
8. Lincoln County	0	0.0	1	28.4	35,236
9. Oxford County	5	88.3	2	35.3	56,614
10. Penobscot County	13	87.7	2	13.5	148,196
11. Piscataquis County	0	0.0	1	57.1	17,525
12. Sagadahoc County [†]	2	54.2	1	27.1	36,927
13. Somerset County	6	116.3	0	0.0	51,584
14. Waldo County	2	52.1	1	26.0	38,392
15. Washington County	3	89.4	2	59.6	33,558
16. York County [†]	17	84.8	2	10.0	200,359

[†] Included in metropolitan area profiles.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2004




Place of death, 2004

Drug misuse		Deaths
Health care facility		30
Home		75
Public place		--
Other		22
Not documented		0
Suicide		Deaths
Health care facility		4
Home		16
Public place		--
Other		5
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2004




Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Death rates by gender and age: Drug misuse, 2004



Death rates by gender and age: Suicide, 2004



Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	115	Any drug-related cause	19
Abuse	0	Abuse	0
Drug or alcohol	115	Drug or alcohol	19
Toxic effects	115	Toxic effects	19
Body systems (includes infections)	28	Body systems (includes infections)	--
Accidents and injuries	--	Accidents and injuries	7

Drug-related deaths by drug category, 2003-2004

Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
ALL DRUGS	115	129	60	23	27	11
Alcohol ²	27	34	0	6	6	0
Cocaine	13	26	5	0	--	0
Marijuana	--	0	0	0	0	0
Stimulants	--	--	0	0	0	0
Club drugs ³	0	--	0	0	0	0
Hallucinogens ⁴	--	0	0	0	0	0
Inhalants	0	--	--	0	0	0
Antidepressants	24	20	--	8	12	0
Antipsychotics	10	4	0	5	--	--
Benzodiazepines	16	26	--	7	--	0
Misc. anxiolytics, sedatives, and hypnotics	--	--	0	5	4	--
Opiates/opioids	102	112	50	12	9	--
Heroin (specified)	--	4	--	0	0	0
Methadone	47	67	30	--	4	--
All other opiates/opioids	66	46	19	11	5	--
Nonsteroidal anti-inflammatory agents	0	0	0	--	0	0
Salicylates/combinations	0	0	0	--	0	0
Misc. analgesics/combinations	5	4	0	6	--	0
Anticonvulsants	5	5	--	--	--	--
Muscle relaxants	--	--	0	--	--	--

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.


³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Maryland



Deaths reported to DAWN

Drug misuse 655
Suicide 40

Metro area population, 2004

5,558,058

Population covered by DAWN

5,558,058

Percent of population covered by DAWN

100%

State overview: Deaths and population by county, 2004


Counties	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (24)	655	117.8	40	7.2	5,558,058
1. Allegany County	11	148.9	0	0.0	73,871
2. Anne Arundel County ^{†*}	46	90.4	1	2.0	508,572
3. Baltimore City ^{†*}	286	449.5	5	7.9	636,251
4. Baltimore County ^{†*}	91	116.5	13	16.6	780,821
5. Calvert County	5	57.8	1	11.6	86,474
6. Caroline County	1	32.2	0	0.0	31,058
7. Carroll County [†]	13	78.2	2	12.0	166,159
8. Cecil County	15	157.0	1	10.5	95,526
9. Charles County	9	66.3	3	22.1	135,807
10. Dorchester County	2	64.7	0	0.0	30,912
11. Frederick County	15	68.9	0	0.0	217,653
12. Garrett County	1	33.2	0	0.0	30,124
13. Harford County [†]	16	67.9	0	0.0	235,594
14. Howard County [†]	13	48.7	2	7.5	266,738
15. Kent County	0	0.0	0	0.0	19,582
16. Montgomery County	34	36.9	4	4.3	921,690
17. Prince George's County	49	58.1	1	1.2	842,967
18. Queen Anne's County [†]	3	66.6	0	0.0	45,078
19. Somerset County	2	77.3	0	0.0	25,863
20. St. Mary's County	5	52.7	1	10.5	94,921
21. Talbot County	4	114.2	0	0.0	35,017
22. Washington County	12	85.9	2	14.3	139,624
23. Wicomico County	13	146.4	2	22.5	88,782
24. Worcester County	9	183.8	2	40.8	48,974

[†] Included in metropolitan area profiles.

* Indicates area featured in Spotlight section.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2004




Place of death, 2004

Drug misuse	Deaths
Health care facility	228
Home	298
Public place	19
Other	109
Not documented	--
Suicide	Deaths
Health care facility	12
Home	23
Public place	--
Other	--
Not documented	0

Top 5 drugs involved: Drug misuse deaths, 2004




Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Death rates by gender and age: Drug misuse, 2004



Death rates by gender and age: Suicide, 2004



Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	639	Any drug-related cause	40
Abuse	5	Abuse	0
Drug or alcohol	639	Drug or alcohol	40
Toxic effects	606	Toxic effects	38
Body systems (includes infections)	38	Body systems (includes infections)	--
Accidents and injuries	21	Accidents and injuries	--

Drug-related deaths by drug category, 2003-2004


Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
ALL DRUGS	697	655	164	21	40	13
Alcohol ²	269	220	16	7	13	0
Cocaine	277	267	45	0	6	0
Marijuana	--	--	0	0	0	0
Stimulants	0	--	0	0	0	0
Club drugs ³	0	--	--	0	0	0
Hallucinogens ⁴	--	6	0	0	0	0
Inhalants	0	--	0	0	0	0
Antidepressants	177	104	--	13	15	--
Antipsychotics	35	26	--	0	4	--
Benzodiazepines	46	28	0	--	--	--
Misc. anxiolytics, sedatives, and hypnotics	108	70	--	7	15	--
Opiates/opioids	595	510	88	7	11	--
Heroin (specified)	--	78	13	0	--	0
Methadone	146	137	26	--	0	0
All other opiates/opioids	518	375	49	5	10	--
Nonsteroidal anti-inflammatory agents	0	0	0	0	0	0
Salicylates/combinations	--	--	--	--	0	0
Misc. analgesics/combinations	93	65	--	11	10	--
Anticonvulsants	5	4	0	--	0	0
Muscle relaxants	14	16	--	--	--	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

New Hampshire



Deaths reported to DAWN

Drug misuse	98
Suicide	14

Metro area population, 2004

1,299,500

Population covered by DAWN

1,299,500

Percent of population covered by DAWN

100%


State overview: Deaths and population by county, 2004

Counties	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (10)	98	75.4	14	10.8	1,299,500
1. Belknap County	7	115.0	0	0.0	60,858
2. Carroll County	4	85.5	1	21.4	46,762
3. Cheshire County	2	26.0	2	26.0	76,872
4. Coos County	2	59.7	0	0.0	33,511
5. Grafton County	6	71.3	1	11.9	84,169
6. Hillsborough County	30	75.3	5	12.5	398,574
7. Merrimack County	16	109.9	2	13.7	145,542
8. Rockingham County [†]	24	82.0	2	6.8	292,526
9. Strafford County [†]	5	42.3	1	8.5	118,217
10. Sullivan County	2	47.1	0	0.0	42,469

[†] Included in metropolitan area profiles.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2004



Place of death, 2004

Drug misuse		Deaths
Health care facility		0
Home		0
Public place		0
Other		0
Not documented		98
Suicide		Deaths
Health care facility		0
Home		0
Public place		0
Other		0
Not documented		14

Top 5 drugs involved: Drug misuse deaths, 2004




Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Death rates by gender and age: Drug misuse, 2004



Death rates by gender and age: Suicide, 2004



Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	97	Any drug-related cause	14
Abuse	0	Abuse	0
Drug or alcohol	96	Drug or alcohol	14
Toxic effects	97	Toxic effects	14
Body systems (includes infections)	8	Body systems (includes infections)	0
Accidents and injuries	0	Accidents and injuries	0

Drug-related deaths by drug category, 2003-2004


Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
ALL DRUGS	113	98	52	26	14	7
Alcohol ²	39	5	0	8	--	0
Cocaine	25	31	11	4	--	0
Marijuana	16	0	0	--	0	0
Stimulants	--	--	0	0	0	0
Club drugs ³	0	--	--	0	0	0
Hallucinogens ⁴	0	0	0	0	0	0
Inhalants	0	0	0	0	0	0
Antidepressants	19	12	0	10	7	--
Antipsychotics	--	--	--	--	--	--
Benzodiazepines	34	16	0	8	--	0
Misc. anxiolytics, sedatives, and hypnotics	--	--	0	6	--	--
Opiates/opioids	93	81	39	8	--	--
Heroin (specified)	6	13	9	0	0	0
Methadone	34	31	15	--	0	0
All other opiates/opioids	60	43	15	7	--	--
Nonsteroidal anti-inflammatory agents	0	0	0	0	0	0
Salicylates/combinations	--	0	0	0	0	0
Misc. analgesics/combinations	--	--	0	--	0	0
Anticonvulsants	--	0	0	--	0	0
Muscle relaxants	--	--	0	0	--	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

New Mexico



Deaths reported to DAWN

Drug misuse 271
Suicide 43

Metro area population, 2004

1,903,289

Population covered by DAWN

1,903,289

Percent of population covered by DAWN

100%

State overview: Deaths and population by county, 2004


Counties	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (33)	271	142.4	43	22.6	1,903,289
1. Bernalillo County ^{†*}	130	218.9	13	21.9	593,765
2. Catron County	0	0.0	0	0.0	3,440
3. Chaves County	10	162.2	1	16.2	61,635
4. Cibola County	2	72.6	0	0.0	27,549
5. Colfax County	0	0.0	0	0.0	13,831
6. Curry County	3	65.7	1	21.9	45,662
7. DeBaca County	0	0.0	0	0.0	2,035
8. Dona Ana County	13	69.9	3	16.1	186,095
9. Eddy County	8	154.8	1	19.3	51,688
10. Grant County	7	237.7	2	67.9	29,443
11. Guadalupe County	1	220.8	0	0.0	4,530
12. Harding County	0	0.0	1	1,292.0	774
13. Hidalgo County	0	0.0	0	0.0	5,186
14. Lea County	4	71.1	1	17.8	56,231
15. Lincoln County	4	193.0	3	144.7	20,727
16. Los Alamos County	0	0.0	1	53.2	18,796
17. Luna County	4	153.1	1	38.3	26,129
18. McKinley County	5	69.0	2	27.6	72,425
19. Mora County	0	0.0	0	0.0	5,212
20. Otero County	6	94.8	3	47.4	63,282
21. Quay County	1	105.5	0	0.0	9,483
22. Rio Arriba County	19	466.7	0	0.0	40,710
23. Roosevelt County	0	0.0	0	0.0	18,165
24. San Juan County	7	56.4	2	16.1	124,166
25. San Miguel County	5	169.4	2	67.8	29,514
26. Sandoval County [†]	4	39.2	2	19.6	102,120
27. Santa Fe County	20	144.2	2	14.4	138,705
28. Sierra County	1	77.2	0	0.0	12,961
29. Socorro County	3	165.0	0	0.0	18,177
30. Taos County	1	31.8	0	0.0	31,464
31. Torrance County [†]	1	59.3	2	118.6	16,864
32. Union County	0	0.0	0	0.0	3,827
33. Valencia County [†]	12	174.7	0	0.0	68,698

[†] Included in metropolitan area profiles.

* Indicates area featured in Spotlight section.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2004




Place of death, 2004

Drug misuse		Deaths
Health care facility		52
Home		161
Public place		15
Other		43
Not documented		0
Suicide		Deaths
Health care facility		7
Home		32
Public place		--
Other		--
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2004




Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Death rates by gender and age: Drug misuse, 2004



Death rates by gender and age: Suicide, 2004



Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	249	Any drug-related cause	43
Abuse	8	Abuse	--
Drug or alcohol	248	Drug or alcohol	43
Toxic effects	204	Toxic effects	26
Body systems (includes infections)	53	Body systems (includes infections)	0
Accidents and injuries	18	Accidents and injuries	18

Drug-related deaths by drug category, 2003-2004


Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
ALL DRUGS	303	271	101	36	43	13
Alcohol ²	108	89	--	12	15	0
Cocaine	110	98	27	--	--	0
Marijuana	--	0	0	0	--	0
Stimulants	22	21	9	0	--	0
Club drugs ³	--	0	0	0	0	0
Hallucinogens ⁴	0	--	0	0	0	0
Inhalants	--	--	0	--	0	0
Antidepressants	37	32	8	15	19	--
Antipsychotics	6	--	0	--	--	--
Benzodiazepines	33	26	0	--	11	0
Misc. anxiolytics, sedatives, and hypnotics	14	12	0	--	0	0
Opiates/opioids	218	201	53	14	22	8
Heroin (specified)	73	73	17	0	--	--
Methadone	36	46	11	--	--	0
All other opiates/opioids	125	98	25	11	18	7
Nonsteroidal anti-inflammatory agents	5	--	0	--	--	0
Salicylates/combinations	--	0	0	--	--	0
Misc. analgesics/combinations	8	8	--	--	--	--
Anticonvulsants	--	9	0	--	--	--
Muscle relaxants	10	14	0	--	6	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

Utah



Deaths reported to DAWN

Drug misuse 343
Suicide 54

Metro area population, 2004

2,389,039

Population covered by DAWN

2,389,039

Percent of population covered by DAWN

100%

State overview: Deaths and population by county, 2004


Counties	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (29)	343	143.6	54	22.6	2,389,039
1. Beaver County	1	164.6	0	0.0	6,077
2. Box Elder County	6	133.9	1	22.3	44,810
3. Cache County	8	82.1	0	0.0	97,467
4. Carbon County	6	304.7	0	0.0	19,689
5. Daggett County	0	0.0	0	0.0	926
6. Davis County [†]	24	91.9	5	19.1	261,208
7. Duchesne County	3	199.9	0	0.0	15,004
8. Emery County	1	93.3	0	0.0	10,723
9. Garfield County	0	0.0	0	0.0	4,427
10. Grand County	2	229.6	1	114.8	8,712
11. Iron County	6	165.4	1	27.6	36,285
12. Juab County [†]	1	111.0	0	0.0	9,009
13. Kane County	1	161.9	0	0.0	6,178
14. Millard County	1	81.3	0	0.0	12,305
15. Morgan County [†]	0	0.0	1	131.3	7,614
16. Piute County	0	0.0	0	0.0	1,393
17. Rich County	0	0.0	0	0.0	2,054
18. Salt Lake County ^{†*}	160	171.1	28	29.9	935,295
19. San Juan County	1	71.4	0	0.0	14,015
20. Sanpete County	6	253.7	2	84.6	23,649
21. Sevier County	3	154.2	0	0.0	19,455
22. Summit County [†]	3	88.6	1	29.5	33,843
23. Tooele County [†]	9	181.1	2	40.3	49,688
24. Uintah County	2	75.0	0	0.0	26,671
25. Utah County [†]	52	128.9	2	5.0	403,352
26. Wasatch County	1	55.1	0	0.0	18,139
27. Washington County	13	118.3	3	27.3	109,924
28. Wayne County	0	0.0	0	0.0	2,494
29. Weber County [†]	33	158.2	7	33.6	208,633

[†] Included in metropolitan area profiles.

* Indicates area featured in Spotlight section.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2004




Place of death, 2004

Drug misuse	Deaths
Health care facility	97
Home	220
Public place	11
Other	14
Not documented	--
Suicide	Deaths
Health care facility	15
Home	30
Public place	4
Other	5
Not documented	0

Top 5 drugs involved: Drug misuse deaths, 2004




Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Death rates by gender and age: Drug misuse, 2004



Death rates by gender and age: Suicide, 2004



Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	338	Any drug-related cause	54
Abuse	19	Abuse	0
Drug or alcohol	338	Drug or alcohol	54
Toxic effects	331	Toxic effects	53
Body systems (includes infections)	34	Body systems (includes infections)	--
Accidents and injuries	--	Accidents and injuries	--

Drug-related deaths by drug category, 2003-2004


Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
ALL DRUGS	326	343	19	45	54	7
Alcohol ²	63	77	0	14	11	0
Cocaine	87	92	6	4	--	--
Marijuana	12	36	0	0	--	0
Stimulants	66	69	0	6	6	0
Club drugs ³	--	--	0	0	0	0
Hallucinogens ⁴	0	--	0	0	0	0
Inhalants	4	--	0	--	0	0
Antidepressants	103	139	0	19	33	--
Antipsychotics	12	13	0	5	8	0
Benzodiazepines	84	110	0	11	16	0
Misc. anxiolytics, sedatives, and hypnotics	81	86	0	17	26	--
Opiates/opioids	270	294	11	20	29	--
Heroin (specified)	33	30	--	0	0	0
Methadone	93	113	6	--	10	--
All other opiates/opioids	188	197	4	20	23	0
Nonsteroidal anti-inflammatory agents	5	--	0	--	--	0
Salicylates/combinations	--	--	0	0	--	0
Misc. analgesics/combinations	30	48	--	13	13	0
Anticonvulsants	16	20	0	--	4	--
Muscle relaxants	50	38	0	6	9	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

Vermont



Deaths reported to DAWN

Drug misuse 62
Suicide 9

Metro area population, 2004

621,394

Population covered by DAWN

621,394

Percent of population covered by DAWN


100%

State overview: Deaths and population by county, 2004

Counties	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (14)	62	99.8	9	14.5	621,394
1. Addison County	4	108.5	0	0.0	36,865
2. Bennington County	3	81.2	1	27.1	36,956
3. Caledonia County	0	0.0	0	0.0	30,464
4. Chittenden County	19	127.3	3	20.1	149,286
5. Essex County	0	0.0	0	0.0	6,654
6. Franklin County	4	84.1	0	0.0	47,556
7. Grand Isle County	0	0.0	0	0.0	7,643
8. Lamoille County	0	0.0	2	81.9	24,418
9. Orange County	2	68.5	0	0.0	29,189
10. Orleans County	6	219.2	0	0.0	27,372
11. Rutland County	6	94.3	0	0.0	63,616
12. Washington County	7	118.5	0	0.0	59,068
13. Windham County	5	112.9	2	45.2	44,284
14. Windsor County	6	103.4	1	17.2	58,023

¹Deaths per 1,000,000 population.


Deaths by case type, 2004



Place of death, 2004

Drug misuse		Deaths
Health care facility		32
Home		19
Public place		4
Other		7
Not documented		0
Suicide		Deaths
Health care facility		5
Home		--
Public place		0
Other		--
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2004




Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Death rates by gender and age: Drug misuse, 2004



Death rates by gender and age: Suicide, 2004



Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	38	Any drug-related cause	8
Abuse	0	Abuse	0
Drug or alcohol	38	Drug or alcohol	8
Toxic effects	32	Toxic effects	8
Body systems (includes infections)	12	Body systems (includes infections)	--
Accidents and injuries	22	Accidents and injuries	0

Drug-related deaths by drug category, 2003-2004

Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
ALL DRUGS	74	62	34	14	9	--
Alcohol ²	19	17	4	--	--	--
Cocaine	11	14	4	0	0	--
Marijuana	--	--	--	0	0	--
Stimulants	0	5	0	0	0	--
Club drugs ³	--	--	0	0	0	--
Hallucinogens ⁴	0	0	0	0	0	--
Inhalants	0	--	0	0	0	--
Antidepressants	9	4	0	5	--	--
Antipsychotics	0	0	0	--	0	--
Benzodiazepines	9	6	0	--	--	--
Misc. anxiolytics, sedatives, and hypnotics	6	--	0	--	--	--
Opiates/opioids	54	34	13	--	5	--
Heroin (specified)	4	6	5	0	0	--
Methadone	12	7	--	--	0	--
All other opiates/opioids	41	25	6	--	5	--
Nonsteroidal anti-inflammatory agents	0	--	--	0	0	--
Salicylates/combinations	--	--	0	--	0	--
Misc. analgesics/combinations	--	--	0	--	--	--
Anticonvulsants	--	0	0	0	0	--
Muscle relaxants	--	--	0	0	0	--

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

